



**NC Emerge™ Cathéter de Dilatation pour Angioplasties coronaires**

## NC Emerge™

| Référence N°   | Longueur /<br>Diamètre | Profil Entrée<br>Lésion | Pression<br>Nominale | Press. Théorique<br>de Rupture |
|----------------|------------------------|-------------------------|----------------------|--------------------------------|
| H7493927606200 | 6 / 2.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606220 | 6 / 2.25 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606250 | 6 / 2.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606270 | 6 / 2.75 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606300 | 6 / 3.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606320 | 6 / 3.25 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606350 | 6 / 3.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606370 | 6 / 3.75 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606400 | 6 / 4.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927606450 | 6 / 4.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927606500 | 6 / 5.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927608200 | 8 / 2.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608220 | 8 / 2.25 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608250 | 8 / 2.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608270 | 8 / 2.75 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608300 | 8 / 3.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608320 | 8 / 3.25 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608350 | 8 / 3.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608370 | 8 / 3.75 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608400 | 8 / 4.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927608450 | 8 / 4.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927608500 | 8 / 5.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927608550 | 8 / 5.50 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927608600 | 8 / 6.00 mm            | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |

## NC Emerge™ Suite

| Référence N°   | Longueur /<br>Diamètre | Profil Entrée<br>Lésion | Pression<br>Nominale | Press. Théorique<br>de Rupture |
|----------------|------------------------|-------------------------|----------------------|--------------------------------|
| H7493927612200 | 12 / 2.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612220 | 12 / 2.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612250 | 12 / 2.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612270 | 12 / 2.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612300 | 12 / 3.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612320 | 12 / 3.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612350 | 12 / 3.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612370 | 12 / 3.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612400 | 12 / 4.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927612450 | 12 / 4.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927612500 | 12 / 5.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927612550 | 12 / 5.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927612600 | 12 / 6.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927615200 | 15 / 2.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615220 | 15 / 2.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615250 | 15 / 2.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615270 | 15 / 2.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615300 | 15 / 3.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615320 | 15 / 3.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615350 | 15 / 3.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615370 | 15 / 3.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615400 | 15 / 4.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927615450 | 15 / 4.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927615500 | 15 / 5.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927615550 | 15 / 5.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927615600 | 15 / 6.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |

Suite page suivante ➤

## NC Emerge™ Suite

| Référence N°   | Longueur /<br>Diamètre | Profil Entrée<br>Lésion | Pression<br>Nominale | Press. Théorique<br>de Rupture |
|----------------|------------------------|-------------------------|----------------------|--------------------------------|
| H7493927620200 | 20 / 2.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620220 | 20 / 2.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620250 | 20 / 2.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620270 | 20 / 2.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620300 | 20 / 3.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620320 | 20 / 3.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620350 | 20 / 3.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620370 | 20 / 3.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620400 | 20 / 4.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927620450 | 20 / 4.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927620500 | 20 / 5.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927620550 | 20 / 5.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927620600 | 20 / 6.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 18 ATM (1824 kPa)              |
| H7493927630200 | 30 / 2.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630220 | 30 / 2.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630250 | 30 / 2.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630270 | 30 / 2.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630300 | 30 / 3.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630320 | 30 / 3.25 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630350 | 30 / 3.50 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630370 | 30 / 3.75 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |
| H7493927630400 | 30 / 4.00 mm           | .017" (0.43 mm)         | 12 ATM (1216 kPa)    | 20 ATM (2027 kPa)              |