

Apex™ Monorail™

Référence N°	Longueur / Diamètre	Profil Entrée Lésion	Pression Nominale	Press. Théorique de Rupture
H749 389610815 0	8 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590815 0	8 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590820 0	8 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590822 0	8 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590825 0	8 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590827 0	8 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590830 0	8 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590832 0	8 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389590835 0	8 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389590837 0	8 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389590840 0	8 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389590845 0	8 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389590850 0	8 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389611215 0	12 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591215 0	12 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591220 0	12 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591222 0	12 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591225 0	12 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591227 0	12 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591230 0	12 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591232 0	12 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591235 0	12 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591237 0	12 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591240 0	12 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591245 0	12 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591250 0	12 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389611515 0	15 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591515 0	15 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591520 0	15 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591522 0	15 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591525 0	15 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591527 0	15 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591530 0	15 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591532 0	15 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389591535 0	15 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591537 0	15 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591540 0	15 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591545 0	15 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389591550 0	15 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389612015 0	20 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592015 0	20 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592020 0	20 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592022 0	20 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592025 0	20 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592027 0	20 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592030 0	20 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592032 0	20 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389592035 0	20 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389592037 0	20 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389592040 0	20 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389592045 0	20 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389592050 0	20 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389593020 0	30 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389593022 0	30 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389593025 0	30 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389593027 0	30 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)

Apex™ Monorail™ Suite

Référence N°	Longueur / Diamètre	Profil Entrée Lésion	Pression Nominale	Press. Théorique de Rupture
H749 389593030 0	30 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389593032 0	30 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389593035 0	30 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389593037 0	30 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389593040 0	30 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389594020 0	40 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389594025 0	40 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389594030 0	40 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389594035 0	40 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389594040 0	40 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)

Apex™ OTW

Référence N°	Longueur / Diamètre	Profil Entrée Lésion	Pression Nominale	Press. Théorique de Rupture
H749 389600815 0	8 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580815 0	8 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580820 0	8 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580822 0	8 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580825 0	8 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580827 0	8 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580830 0	8 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580832 0	8 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389580835 0	8 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389580837 0	8 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389580840 0	8 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389580845 0	8 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389580850 0	8 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389601215 0	12 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581215 0	12 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581220 0	12 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581222 0	12 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581225 0	12 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581227 0	12 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581230 0	12 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581232 0	12 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581235 0	12 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581237 0	12 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581240 0	12 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581245 0	12 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581250 0	12 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389601515 0	15 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581515 0	15 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581520 0	15 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581522 0	15 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581525 0	15 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581527 0	15 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581530 0	15 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581532 0	15 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389581535 0	15 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581537 0	15 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581540 0	15 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389593027 0	30 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)

Apex™ OTW Suite

Référence N°	Longueur / Diamètre	Profil Entrée Lésion	Pression Nominale	Press. Théorique de Rupture
H749 389581545 0	15 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389581550 0	15 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389602015 0	20 / 1.50 mm Push	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582015 0	20 / 1.50 mm Flex	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582020 0	20 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582022 0	20 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582025 0	20 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582027 0	20 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582030 0	20 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582032 0	20 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389582035 0	20 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389582037 0	20 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389582040 0	20 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389582045 0	20 / 4.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389582050 0	20 / 5.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389583020 0	30 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583022 0	30 / 2.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583025 0	30 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583027 0	30 / 2.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583030 0	30 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583032 0	30 / 3.25 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389583035 0	30 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389583037 0	30 / 3.75 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389583040 0	30 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389584020 0	40 / 2.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389584025 0	40 / 2.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389584030 0	40 / 3.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389584035 0	40 / 3.50 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389584040 0	40 / 4.00 mm	.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)