

# Flextome™ Cutting Balloon™

Référence N°	Longueur / Diamètre	Nombre Micro Lames	Pression Nominale	Press. Théorique de Rupture	Guide Maximum Recommandé
H749 <b>RB420006</b> 0	6 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB422506</b> 0	6 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB425006</b> 0	6 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB427506</b> 0	6 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB430006</b> 0	6 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB432506</b> 0	6 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB435006</b> 0	6 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB437506</b> 0	6 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB440006</b> 0	6 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB420010</b> 0	10 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB422510</b> 0	10 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB425010</b> 0	10 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB427510</b> 0	10 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB430010</b> 0	10 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB432510</b> 0	10 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB435010</b> 0	10 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB437510</b> 0	10 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB440010</b> 0	10 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB420015</b> 0	15 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB422515</b> 0	15 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB425015</b> 0	15 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB427515</b> 0	15 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB430015</b> 0	15 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB432515</b> 0	15 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB435015</b> 0	15 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB437515</b> 0	15 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)
H749 <b>RB440015</b> 0	15 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)	.014" (0.36 mm)

## COMPLIANCE CHART

Pression ATM-(kPa)	2.00 mm Diamètre	2.25 mm Diamètre	2.50 mm Diamètre	2.75 mm Diamètre	3.00 mm Diamètre	3.25 mm Diamètre	3.50 mm Diamètre	3.75 mm Diamètre	4.00 mm Diamètre
4.0 (405)	1.99	2.22	2.44	2.69	2.94	3.17	3.40	3.61	3.89
5.0 (507)	2.01	2.24	2.46	2.72	2.98	3.21	3.44	3.67	3.95
<b>6.0 (608) PRESSION NOMINALE</b>	2.03	2.26	2.49	2.75	3.01	3.26	3.48	3.72	4.01
7.0 (709)	2.05	2.29	2.51	2.77	3.04	3.31	3.53	3.76	4.06
8.0 (811)	2.08	2.32	2.54	2.80	3.08	3.35	3.56	3.80	4.10
9.0 (91 )	2.10	2.34	2.56	2.82	3.10	3.38	3.59	3.83	4.14
10.0 (1013)	2.11	2.36	2.58	2.84	3.12	3.41	3.62	3.86	4.17
11.0 (1115)	2.13	2.38	2.60	2.86	3.15	3.44	3.65	3.89	4.20
12.0 (1216) RBP	2.14	2.40	2.62	2.88	3.17	3.47	3.68	3.91	4.23