

3200 Lakeside Drive Santa Clara, CA 95054

Tel: 408-845-3000 Fax: 408-845-3743

DECLARATION OF CONFORMITY

Manufacturer:

Abbott Vascular

Address:

3200 Lakeside Drive

Santa Clara, CA 95054

Manufacturing Sites:

Cashel Road

Clonmel, Co. Tipperary

Ireland

Device Name:

Perclose ProGlide Suture-Mediated Closure System

Device Classification:

Class IIb

GMDN Code:

52747 Femoral artery suture implantation set

Classification Rationale:

The following Annex IX definition(s) apply to the Perclose ProGlide Suture-Mediated Closure System for purposes of classification: Per Rule 8, Annex IX, all implantable devices and long-term surgically invasive devices are in Class IIb. The Perclose ProGlide Suture-Mediated Closure System is not used in direct contact with the heart or central circulatory system and does not administer medications.

Authorized European

Abbott Vascular International BVBA

Representative:

Park Lane, Culliganlaan 2B 1831 Diegem, Belgium

Model Number:

12673-05

I, the undersigned, hereby declare that the medical devices specified above conform with the applicable *Essential Requirements* listed in Annex I and Annex II Part 3 of EC Council Directive 93/42/EEC.

Directive 2006/42/EC on Machinery and directive 89/686/EEC on Personal Protective Equipment do not apply.

This declaration is supported by the EC Quality System (Annex II, except Part 4) listed below.

Version 1.0 June 18, 2015 Page 1 of 2



3200 Lakeside Drive Santa Clara, CA 95054

Tel: 408-845-3000 Fax: 408-845-3743

Supporting Certificates:

EC Quality Management System, ISO 13485:2003 Certificate Number: FM 72377 Annex II Certificate Number: CE 510108

Notified Body:

British Standards Institution (0086)

Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP

United Kingdom

This Declaration of Conformity is valid until revision or with the obsolescence of the supporting Annex II certificate listed above.

This Declaration of Conformity is issued under the sole responsibility of the manufacturer.

By: Susan Slane Divisional VP	, Quality, Compliance, and Anal	ytical Chemistry
Place of issue:	Temecula	Date of issue: 6/18/15

Effective Date: 6/18/15