



HI-TORQUE
PILOT 150
Guide Wire



0.014"

175 cm


GUIDE WIRE WITH HYDROCOAT HYDROPHILIC COATING; Führungsdraht mit hydrophiler Beschichtung; Guide avec revêtement hydrophile; Guia con recubrimiento hidrofílico hydrocoat; Fio guida con rivestimento idrofilo hydrocoat; Fio Guia com Revestimento Hidrofílico Hydrocoat; Ledare med Hydrocoat hydrofilbeläggning; Voerdraad met hydrocoat hydrofile deklaag; Guidewire med hydrocoat hydrofilbelægning; Συρίματος οδηγός με υδρόφιλη επικάλυψη hydrocoat; ハイドロコート親水性コーティング付きガイドワイヤー; Prowadnik z powłoką hydrofilową Hydrocoat

LOT 7112801
2009-10
2007-11

EXTENSION; Verlängerung; Extension; Extensión de guía; Estensione; Extensão; Förlängning; Verlängstuck; Forlængelse; Προέκταση; 延長; Przedłużenie

REF 1010478-H

DOC®
Extension



INDICATION; Indikation; Indicación; Indicazioni; Indicação; Indikation; Indikatie; Indikation; Ενδειξη; 適応; Wskazanie
CONTRAINDICATION; Kontraindikation; Contre-indication; Contraindicación; Controindicazione; Contra-indicação; Kontraindikationer; Contra-indicatie; Kontraindikation; Αντένδειξη; 禁忌; Przeciwwskazanie
STENT **ATHERECTOMY**

READ INSTRUCTIONS; Gebrauchsanweisung lesen; Lire le mode d'emploi; Leer las instrucciones; Leggere le istruzioni; Ler instruções; Läs anvisningarna; Lees de aanwijzingen; Lees brugsanvisningen; Διαβάστε τις Οδηγίες; 添付文書を熟読下さい; Zapoznać się z instrukcją

<p>HI-TORQUE PILOT 150 0.014" 175 cm REF 1010478-H LOT 7112801</p>	<p>HI-TORQUE PILOT 150 0.014" 175 cm REF 1010478-H LOT 7112801</p>
--	--

Rx ONLY **STERILE R** **0086**
WPL2054616-01 (11/28/07)

Abbott Vascular
Santa Clara, CA 95054-2807 USA
TEL: (800) 227-9902
FAX: (800) 601-8874
Outside USA TEL: (951) 914-4669
Outside USA FAX: (951) 914-2531

Abbott Vascular International BVBA
1831 Diegem, BELGIUM
TEL: + 32 2 714 14 11
FAX: + 32 2 714 14 12

DOC is a trademark of the Abbott Group of Companies registered in the United States.

PPL2061225 (11/1/07)

HI-TORQUE
PILOT 150
Guide Wire

REF 1010478-H **LOT 7112801** 2009-10



0.014" 175 cm Hydrocoat

