



Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

**Manufacturer:** Penumbra, Inc.

Address:

One Penumbra Place Alameda California 94502 USA

**Single Registration Number:** US-MF-000008514

**EU Authorised Representative:** Penumbra Europe GmbH

Address:

Am Borsigturm, 44 13507 Berlin Germany

#### Scope: See attached Device Schedule

On the basis of our assessment of the technical documentation in accordance with Regulation (EU) 2017/745, Annex IX Chapter II, the technical documentation meets the requirements of the Regulation. For the placing on the market of these devices an additional Annex IX Chapter I and III certificate is required.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Graeme Tunbridge, Senior Vice President Global Regulatory & Quality

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 1 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

NB Contact: BSI Group The Netherlands B.V., Say Building, John M. Keynesplein 9, 1066 EP, Amsterdam, Netherlands. Tel: + 31 (0) 20 346 07 80 Corporate Contact: BSI Group Assurance Limited, registered in England under number 05435540 at 389 Chiswick High Road, London, W4 4AL, UK. A Member of the BSI Group of Companies.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

#### **Device Schedule:**

#### Intended Purpose as per the instructions for use:

- 1) Penumbra Coil 400, POD400, and Smart Coil are intended to endovascularly obstruct or occlude blood flow in aneurysms or other vascular abnormalities.
- 2) Ruby Coil and POD are intended to endovascularly obstruct or occlude blood flow in aneurysms or other vascular abnormalities.
- 3) LP Coil is intended to endovascularly obstruct or occlude blood flow in aneurysms or other vascular abnormalities.
- 4) Penumbra swiftPAC Coil is intended to endovascularly obstruct or occlude blood flow in aneurysms or other vascular abnormalities.

**Risk classification:** Class III implantable.

Basic UDI-DI: 081454801PCOEU

**Type** (Codes per (EU) 2017/2185): MDN1101

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 2 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

NB Contact: BSI Group The Netherlands B.V., Say Building, John M. Keynesplein 9, 1066 EP, Amsterdam, Netherlands. Tel: + 31 (0) 20 346 07 80 Corporate Contact: BSI Group Assurance Limited, registered in England under number 05435540 at 389 Chiswick High Road, London, W4 4AL, UK. A Member of the BSI Group of Companies.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4002C0312	Penumbra Coil 400 Complex Standard 3 mm x 12 cm
	4002C0315	Penumbra Coil 400 Complex Standard 3 mm x 15 cm
	4002C0408	Penumbra Coil 400 Complex Standard 4 mm x 8 cm
	4002C0415	Penumbra Coil 400 Complex Standard 4 mm x 15 cm
	4002C0506	Penumbra Coil 400 Complex Standard 5 mm x 6 cm
	4002C0510	Penumbra Coil 400 Complex Standard 5 mm x 10 cm
	4002C0512	Penumbra Coil 400 Complex Standard 5 mm x 12 cm
Penumbra Coil 400	4002C0515	Penumbra Coil 400 Complex Standard 5 mm x 15 cm
	4002C0610	Penumbra Coil 400 Complex Standard 6 mm x 10 cm
	4002C0615	Penumbra Coil 400 Complex Standard 6 mm x 15 cm
	4002C0620	Penumbra Coil 400 Complex Standard 6 mm x 20 cm
	4002C0710	Penumbra Coil 400 Complex Standard 7 mm x 10 cm
	4002C0715	Penumbra Coil 400 Complex Standard 7 mm x 15 cm
	4002C0720	Penumbra Coil 400 Complex Standard 7 mm x 20 cm
	4002C0820	Penumbra Coil 400 Complex Standard 8 mm x 20 cm

First Issue Date: **2023-03-29**Current Issue Date: **2025-05-30** 

Starting Validity Date: **2025-05-30** 

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 3 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4002C0830	Penumbra Coil 400 Complex Standard 8 mm x 30 cm
	4002C0845	Penumbra Coil 400 Complex Standard 8 mm x 45 cm
	4002C0860	Penumbra Coil 400 Complex Standard 8 mm x 60 cm
	4002C0925	Penumbra Coil 400 Complex Standard 9 mm x 25 cm
	4002C0935	Penumbra Coil 400 Complex Standard 9 mm x 35 cm
	4002C1020	Penumbra Coil 400 Complex Standard 10 mm x 20 cm
	4002C1030	Penumbra Coil 400 Complex Standard 10 mm x 30 cm
	4002C1040	Penumbra Coil 400 Complex Standard 10 mm x 40 cm
Penumbra Coil 400	4002C1135	Penumbra Coil 400 Complex Standard 11 mm x 35 cm
	4002C1145	Penumbra Coil 400 Complex Standard 11 mm x 45 cm
	4002C1235	Penumbra Coil 400 Complex Standard 12 mm x 35 cm
	4002C1245	Penumbra Coil 400 Complex Standard 12 mm x 45 cm
	4002C1348	Penumbra Coil 400 Complex Standard 13 mm x 48 cm
	4002C1450	Penumbra Coil 400 Complex Standard 14 mm x 50 cm
	4002C1545	Penumbra Coil 400 Complex Standard 15 mm x 45 cm
	4002C1557	Penumbra Coil 400 Complex Standard 15 mm x 60 cm
	4002C1645	Penumbra Coil 400 Complex Standard 16 mm x 45 cm

First Issue Date: **2023-03-29** 

Current Issue Date: 2025-05-30

Starting Validity Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 4 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4002C1660	Penumbra Coil 400 Complex Standard 16 mm x 60 cm
	4002C1857	Penumbra Coil 400 Complex Standard 18 mm x 60 cm
	4002C2060	Penumbra Coil 400 Complex Standard 20 mm x 60 cm
	4002C2260	Penumbra Coil 400 Complex Standard 22 mm x 60 cm
	4002C2457	Penumbra Coil 400 Complex Standard 24 mm x 60 cm
	4002C2860	Penumbra Coil 400 Complex Standard 28 mm x 60 cm
	4002C3260	Penumbra Coil 400 Complex Standard 32 mm x 60 cm
	4004C0306	Penumbra Coil 400 Complex Soft 3 mm x 6 cm
	4004C0310	Penumbra Coil 400 Complex Soft 3 mm x 10 cm
Penumbra Coil 400	4004C0406	Penumbra Coil 400 Complex Soft 4 mm x 6 cm
Penumbra Con 400	4004C0408	Penumbra Coil 400 Complex Soft 4 mm x 8 cm
	4004C0412	Penumbra Coil 400 Complex Soft 4 mm x 12 cm
	4004C0506	Penumbra Coil 400 Complex Soft 5 mm x 6 cm
	4004C0508	Penumbra Coil 400 Complex Soft 5 mm x 8 cm
	4004C0509	Penumbra Coil 400 Complex Soft 5 mm x 9 cm
	4004C0510	Penumbra Coil 400 Complex Soft 5 mm x 10 cm
	4004C0513	Penumbra Coil 400 Complex Soft 5 mm x 13 cm
	4004C0610	Penumbra Coil 400 Complex Soft 6 mm x 10 cm
	4004C0615	Penumbra Coil 400 Complex Soft 6 mm x 15 cm
	4004C0710	Penumbra Coil 400 Complex Soft 7 mm x 10 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 5 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4004C0715	Penumbra Coil 400 Complex Soft 7 mm x 15 cm
	4004C0720	Penumbra Coil 400 Complex Soft 7 mm x 20 cm
	4004C0815	Penumbra Coil 400 Complex Soft 8 mm x 15 cm
	4004C0820	Penumbra Coil 400 Complex Soft 8 mm x 20 cm
	4004C0925	Penumbra Coil 400 Complex Soft 9 mm x 25 cm
	4004C0930	Penumbra Coil 400 Complex Soft 9 mm x 30 cm
	4004C1020	Penumbra Coil 400 Complex Soft 10 mm x 20 cm
	4004C1030	Penumbra Coil 400 Complex Soft 10 mm x 30 cm
	4004C1135	Penumbra Coil 400 Complex Soft 11 mm x 35 cm
Penumbra Coil 400	4004C1235	Penumbra Coil 400 Complex Soft 12 mm x 35 cm
Periuribia Con 400	4004C1335	Penumbra Coil 400 Complex Soft 13 mm x 35 cm
	4004C1440	Penumbra Coil 400 Complex Soft 14 mm x 40 cm
	4004C1545	Penumbra Coil 400 Complex Soft 15 mm x 45 cm
	4004C1645	Penumbra Coil 400 Complex Soft 16 mm x 45 cm
	4004C1845	Penumbra Coil 400 Complex Soft 18 mm x 45 cm
	4006C0201	Penumbra Coil 400 Complex Extra Soft 2 mm x 1 cm
	4006C0202	Penumbra Coil 400 Complex Extra Soft 2 mm x 2 cm
	4006C0203	Penumbra Coil 400 Complex Extra Soft 2 mm x 3 cm
	4006C0204	Penumbra Coil 400 Complex Extra Soft 2 mm x 4 cm
	4006C0303	Penumbra Coil 400 Complex Extra Soft 3 mm x 3 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 6 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4006C0304	Penumbra Coil 400 Complex Extra Soft 3 mm x 4 cm
	4006C0305	Penumbra Coil 400 Complex Extra Soft 3 mm x 5 cm
	4006C0306	Penumbra Coil 400 Complex Extra Soft 3 mm x 6 cm
	4006C0308	Penumbra Coil 400 Complex Extra Soft 3 mm x 8 cm
	4006C0404	Penumbra Coil 400 Complex Extra Soft 4 mm x 4 cm
	4006C0406	Penumbra Coil 400 Complex Extra Soft 4 mm x 6 cm
	4006C0408	Penumbra Coil 400 Complex Extra Soft 4 mm x 8 cm
	4006C0410	Penumbra Coil 400 Complex Extra Soft 4 mm x 10 cm
	4006C0506	Penumbra Coil 400 Complex Extra Soft 5 mm x 6 cm
Penumbra Coil 400	4006C0508	Penumbra Coil 400 Complex Extra Soft 5 mm x 8 cm
Periumbra Con 400	4006C0510	Penumbra Coil 400 Complex Extra Soft 5 mm x 10 cm
	4006C0608	Penumbra Coil 400 Complex Extra Soft 6 mm x 8 cm
	4006C0610	Penumbra Coil 400 Complex Extra Soft 6 mm x 10 cm
	4006C0615	Penumbra Coil 400 Complex Extra Soft 6 mm x 15 cm
	4006U0201	Penumbra Coil 400 Curve Extra Soft 2 mm x 1 cm
	4006U0202	Penumbra Coil 400 Curve Extra Soft 2 mm x 2 cm
	4006U0203	Penumbra Coil 400 Curve Extra Soft 2 mm x 3 cm
	4006U0204	Penumbra Coil 400 Curve Extra Soft 2 mm x 4 cm
	4006U0302	Penumbra Coil 400 Curve Extra Soft 3 mm x 2 cm
	4006U0303	Penumbra Coil 400 Curve Extra Soft 3 mm x 3 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 7 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	4006U0304	Penumbra Coil 400 Curve Extra Soft 3 mm x 4 cm
	4006U0305	Penumbra Coil 400 Curve Extra Soft 3 mm x 5 cm
	4006U0306	Penumbra Coil 400 Curve Extra Soft 3 mm x 6 cm
	4006U0308	Penumbra Coil 400 Curve Extra Soft 3 mm x 8 cm
	4006U0404	Penumbra Coil 400 Curve Extra Soft 4 mm x 4 cm
	4006U0406	Penumbra Coil 400 Curve Extra Soft 4 mm x 6 cm
	4006U0408	Penumbra Coil 400 Curve Extra Soft 4 mm x 8 cm
	4006U0410	Penumbra Coil 400 Curve Extra Soft 4 mm x 10 cm
	4006U0506	Penumbra Coil 400 Curve Extra Soft 5 mm x 6 cm
Penumbra Coil 400	4006U0508	Penumbra Coil 400 Curve Extra Soft 5 mm x 8 cm
Periumbia Con 400	4006U0510	Penumbra Coil 400 Curve Extra Soft 5 mm x 10 cm
	4006U0630	Penumbra Coil 400 Curve Extra Soft 6 mm x 30 cm
	400PAC2	PAC400 2 cm
	400PAC3	PAC400 3 cm
	400PAC4	PAC400 4 cm
	400PAC5	PAC400 5 cm
	400PAC6	PAC400 6 cm
	400PAC7	PAC400 7 cm
	400PAC10	PAC400 10 cm
	400PAC15	PAC400 15 cm

First Issue Date: **2023-03-29** 

Starting Validity Date: 2025-05-30

Current Issue Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 8 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400PAC25	PAC400 25 cm
	400PAC35	PAC400 35 cm
Penumbra Coil 400	400PAC40	PAC400 40 cm
Penumbra Con 400	400PAC45	PAC400 45 cm
	400PAC50	PAC400 50 cm
	400PAC60	PAC400 60 cm
	RBY2C0305	Ruby Coil Standard 3 mm x 5 cm
	RBY2C0312	Ruby Coil Standard 3 mm x 12 cm
	RBY2C0320	Ruby Coil Standard 3 mm x 20 cm
	RBY2C0410	Ruby Coil Standard 4 mm x 10 cm
	RBY2C0415	Ruby Coil Standard 4 mm x 15 cm
	RBY2C0420	Ruby Coil Standard 4 mm x 20 cm
Ruby Coil System	RBY2C0430	Ruby Coil Standard 4 mm x 30 cm
Ruby Coll System	RBY2C0435	Ruby Coil Standard 4 mm x 35 cm
	RBY2C0512	Ruby Coil Standard 5 mm x 12 cm
	RBY2C0520	Ruby Coil Standard 5 mm x 20 cm
	RBY2C0530	Ruby Coil Standard 5 mm x 30 cm
	RBY2C0535	Ruby Coil Standard 5 mm x 35 cm
	RBY2C0612	Ruby Coil Standard 6 mm x 12 cm
	RBY2C0620	Ruby Coil Standard 6 mm x 20 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit.™

Page 9 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBY2C0630	Ruby Coil Standard 6 mm x 30 cm
	RBY2C0640	Ruby Coil Standard 6 mm x 40 cm
	RBY2C0725	Ruby Coil Standard 7 mm x 25 cm
	RBY2C0740	Ruby Coil Standard 7 mm x 40 cm
	RBY2C0825	Ruby Coil Standard 8 mm x 25 cm
	RBY2C0840	Ruby Coil Standard 8 mm x 40 cm
	RBY2C0930	Ruby Coil Standard 9 mm x 30 cm
	RBY2C1035	Ruby Coil Standard 10 mm x 35 cm
	RBY2C1060	Ruby Coil Standard 10 mm x 60 cm
Duby Cail System	RBY2C1240	Ruby Coil Standard 12 mm x 40 cm
Ruby Coil System	RBY2C1260	Ruby Coil Standard 12 mm x 60 cm
	RBY2C1440	Ruby Coil Standard 14 mm x 40 cm
	RBY2C1460	Ruby Coil Standard 14 mm x 60 cm
	RBY2C1660	Ruby Coil Standard 16 mm x 60 cm
	RBY2C1857	Ruby Coil Standard 18 mm x 60 cm
	RBY2C2060	Ruby Coil Standard 20 mm x 60 cm
	RBY2C2457	Ruby Coil Standard 24 mm x 60 cm
	RBY2C2860	Ruby Coil Standard 28 mm x 60 cm
	RBY2C3260	Ruby Coil Standard 32 mm x 60 cm
	RBY2C3660	Ruby Coil Standard 36 mm x 60 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 10 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBY2C4060	Ruby Coil Standard 40 mm x 60 cm
	RBY4C0201	Ruby Coil Soft 2 mm x 1 cm
	RBY4C0202	Ruby Coil Soft 2 mm x 2 cm
	RBY4C0204	Ruby Coil Soft 2 mm x 4 cm
	RBY4C0208	Ruby Coil Soft 2 mm x 8 cm
	RBY4C0210	Ruby Coil Soft 2 mm x 10 cm
	RBY4C0212	Ruby Coil Soft 2 mm x 12 cm
	RBY4C0305	Ruby Coil Soft 3 mm x 5 cm
	RBY4C0315	Ruby Coil Soft 3 mm x 15 cm
Duby Cail System	RBY4C0406	Ruby Coil Soft 4 mm x 6 cm
Ruby Coil System	RBY4C0415	Ruby Coil Soft 4 mm x 15 cm
	RBY4C0620	Ruby Coil Soft 6 mm x 20 cm
	RBY4C0630	Ruby Coil Soft 6 mm x 30 cm
	RBY4C0660	Ruby Coil Soft 6 mm x 60 cm
	RBY4C0835	Ruby Coil Soft 8 mm x 35 cm
	RBY4C0860	Ruby Coil Soft 8 mm x 60 cm
	RBY4C1035	Ruby Coil Soft 10 mm x 35 cm
	RBY4C1240	Ruby Coil Soft 12 mm x 40 cm
	RBY4C1260	Ruby Coil Soft 12 mm x 60 cm
	RBY4C1650	Ruby Coil Soft 16 mm x 50 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 11 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBY4C2060	Ruby Coil Soft 20 mm x 60 cm
	RBY6C0201	Ruby Coil Extra Soft 2 mm x 1 cm
	RBY6C0202	Ruby Coil Extra Soft 2 mm x 2 cm
	RBY6C0204	Ruby Coil Extra Soft 2 mm x 4 cm
	RBY6C0208	Ruby Coil Extra Soft 2 mm x 8 cm
	RBY6C0210	Ruby Coil Extra Soft 2 mm x 10 cm
Ruby Coil System	RBY6C0212	Ruby Coil Extra Soft 2 mm x 12 cm
	RBY6C0305	Ruby Coil Extra Soft 3 mm x 5 cm
	RBY6C0315	Ruby Coil Extra Soft 3 mm x 15 cm
	RBY6C0406	Ruby Coil Extra Soft 4 mm x 6 cm
	RBY6C0415	Ruby Coil Extra Soft 4 mm x 15 cm
	RBY6C0620	Ruby Coil Extra Soft 6 mm x 20 cm
	RBY6C0630	Ruby Coil Extra Soft 6 mm x 30 cm
	RBYPOD3	POD 3 mm x 20 cm
	RBYPOD4	POD 4 mm x 30 cm
	RBYPOD5	POD 5 mm x 30 cm
POD System	RBYPOD6	POD 6 mm x 50 cm
	RBYPOD7	POD 7 mm x 60 cm
	RBYPOD8	POD 8 mm x 60 cm
	RBYPOD9	POD 9 mm x 60 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 12 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYPOD10	POD 10 mm x 60 cm
	RBYPOD12	POD 12 mm x 60 cm
	RBYPOD14	POD 14 mm x 60 cm
	400POD3	POD400 3 mm x 20 cm
	400POD4	POD400 4 mm x 30 cm
	400POD5	POD400 5 mm x 30 cm
	400POD6	POD400 6 mm x 50 cm
	RBYPODJ2	Packing Coil 2 cm
	RBYPODJ3	Packing Coil 3 cm
DOD System	RBYPODJ4	Packing Coil 4 cm
POD System	RBYPODJ5	Packing Coil 5 cm
	RBYPODJ6	Packing Coil 6 cm
	RBYPODJ7	Packing Coil 7 cm
	RBYPODJ8	Packing Coil 8 cm
	RBYPODJ9	Packing Coil 9 cm
	RBYPODJ10	Packing Coil 10 cm
	RBYPODJ12	Packing Coil 12 cm
	RBYPODJ15	Packing Coil 15 cm
	RBYPODJ20	Packing Coil 20 cm
	RBYPODJ25	Packing Coil 25 cm

First Issue Date: **2023-03-29** 

Current Issue Date: 2025-05-30

Starting Validity Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 13 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYPODJ30	Packing Coil 30 cm
	RBYPODJ35	Packing Coil 35 cm
	RBYPODJ40	Packing Coil 40 cm
POD System	RBYPODJ45	Packing Coil 45 cm
	RBYPODJ50	Packing Coil 50 cm
	RBYPODJ55	Packing Coil 55 cm
	RBYPODJ60	Packing Coil 60 cm
	400SMTSTD0304	Penumbra Smart Coil Standard 3 mm x 4 cm
	400SMTSTD0305	Penumbra Smart Coil Standard 3 mm x 5 cm
	400SMTSTD0306	Penumbra Smart Coil Standard 3 mm x 6 cm
	400SMTSTD3H05	Penumbra Smart Coil Standard 3.5 mm x 5 cm
	400SMTSTD3H06	Penumbra Smart Coil Standard 3.5 mm x 6 cm
	400SMTSTD3H08	Penumbra Smart Coil Standard 3.5 mm x 8 cm
Penumbra Smart Coil System	400SMTSTD3H10	Penumbra Smart Coil Standard 3.5 mm x 10 cm
	400SMTSTD0406	Penumbra Smart Coil Standard 4 mm x 6 cm
	400SMTSTD0408	Penumbra Smart Coil Standard 4 mm x 8 cm
	400SMTSTD0410	Penumbra Smart Coil Standard 4 mm x 10 cm
	400SMTSTD0412	Penumbra Smart Coil Standard 4 mm x 12 cm
	400SMTSTD0415	Penumbra Smart Coil Standard 4 mm x 15 cm
	400SMTSTD0420	Penumbra Smart Coil Standard 4 mm x 20 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 14 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	400SMTSTD4H06	Penumbra Smart Coil Standard 4.5 mm x 6 cm
	400SMTSTD4H08	Penumbra Smart Coil Standard 4.5 mm x 8 cm
	400SMTSTD4H10	Penumbra Smart Coil Standard 4.5 mm x 10 cm
	400SMTSTD4H12	Penumbra Smart Coil Standard 4.5 mm x 12 cm
	400SMTSTD4H15	Penumbra Smart Coil Standard 4.5 mm x 15 cm
	400SMTSTD4H20	Penumbra Smart Coil Standard 4.5 mm x 20 cm
	400SMTSTD0508	Penumbra Smart Coil Standard 5 mm x 8 cm
	400SMTSTD0510	Penumbra Smart Coil Standard 5 mm x 10 cm
	400SMTSTD0515	Penumbra Smart Coil Standard 5 mm x 15 cm
Donumbra Smart Coil System	400SMTSTD0520	Penumbra Smart Coil Standard 5 mm x 20 cm
Penumbra Smart Coil System	400SMTSTD0610	Penumbra Smart Coil Standard 6 mm x 10 cm
	400SMTSTD0615	Penumbra Smart Coil Standard 6 mm x 15 cm
	400SMTSTD0620	Penumbra Smart Coil Standard 6 mm x 20 cm
	400SMTSTD0625	Penumbra Smart Coil Standard 6 mm x 25 cm
	400SMTSTD0715	Penumbra Smart Coil Standard 7 mm x 15 cm
	400SMTSTD0720	Penumbra Smart Coil Standard 7 mm x 20 cm
	400SMTSTD0725	Penumbra Smart Coil Standard 7 mm x 25 cm
	400SMTSTD0730	Penumbra Smart Coil Standard 7 mm x 30 cm
	400SMTSTD0820	Penumbra Smart Coil Standard 8 mm x 20 cm
	400SMTSTD0825	Penumbra Smart Coil Standard 8 mm x 25 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 15 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTSTD0830	Penumbra Smart Coil Standard 8 mm x 30 cm
	400SMTSTD0835	Penumbra Smart Coil Standard 8 mm x 35 cm
	400SMTSTD0920	Penumbra Smart Coil Smart Plus Standard 9 mm x 20 cm
	400SMTSTD0925	Penumbra Smart Coil Smart Plus Standard 9 mm x 25 cm
	400SMTSTD0930	Penumbra Smart Coil Smart Plus Standard 9 mm x 30 cm
	400SMTSTD0935	Penumbra Smart Coil Smart Plus Standard 9 mm x 35 cm
	400SMTSTD0945	Penumbra Smart Coil Smart Plus Standard 9 mm x 45 cm
	400SMTSTD1030	Penumbra Smart Coil Smart Plus Standard 10 mm x 30 cm
	400SMTSTD1045	Penumbra Smart Coil Smart Plus Standard 10 mm x 45 cm
Donumbra Smart Coil System	400SMTSTD1135	Penumbra Smart Coil Smart Plus Standard 11 mm x 35 cm
Penumbra Smart Coil System	400SMTSTD1145	Penumbra Smart Coil Smart Plus Standard 11 mm x 45 cm
	400SMTSTD1160	Penumbra Smart Coil Smart Plus Standard 11 mm x 60 cm
	400SMTSTD1235	Penumbra Smart Coil Smart Plus Standard 12 mm x 35 cm
	400SMTSTD1245	Penumbra Smart Coil Smart Plus Standard 12 mm x 45 cm
	400SMTSTD1260	Penumbra Smart Coil Smart Plus Standard 12 mm x 60 cm
	400SMTSTD1345	Penumbra Smart Coil Smart Plus Standard 13 mm x 45 cm
	400SMTSTD1360	Penumbra Smart Coil Smart Plus Standard 13 mm x 60 cm
	400SMTSTD1445	Penumbra Smart Coil Smart Plus Standard 14 mm x 45 cm
	400SMTSTD1460	Penumbra Smart Coil Smart Plus Standard 14 mm x 60 cm
	400SMTSTD1545	Penumbra Smart Coil Smart Plus Standard 15 mm x 45 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 16 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTSTD1560	Penumbra Smart Coil Smart Plus Standard 15 mm x 60 cm
	400SMTSTD1645	Penumbra Smart Coil Smart Plus Standard 16 mm x 45 cm
	400SMTSTD1660	Penumbra Smart Coil Smart Plus Standard 16 mm x 60 cm
	400SMTSTD1845	Penumbra Smart Coil Smart Plus Standard 18 mm x 45 cm
	400SMTSTD1860	Penumbra Smart Coil Smart Plus Standard 18 mm x 60 cm
	400SMTSFT0202	Penumbra Smart Coil Soft 2 mm x 2 cm
	400SMTSFT0203	Penumbra Smart Coil Soft 2 mm x 3 cm
	400SMTSFT0204	Penumbra Smart Coil Soft 2 mm x 4 cm
	400SMTSFT2H03	Penumbra Smart Coil Soft 2.5 mm x 3 cm
Donumbra Smart Coil System	400SMTSFT2H04	Penumbra Smart Coil Soft 2.5 mm x 4 cm
Penumbra Smart Coil System	400SMTSFT2H05	Penumbra Smart Coil Soft 2.5 mm x 5 cm
	400SMTSFT2H06	Penumbra Smart Coil Soft 2.5 mm x 6 cm
	400SMTSFT0304	Penumbra Smart Coil Soft 3 mm x 4 cm
	400SMTSFT0306	Penumbra Smart Coil Soft 3 mm x 6 cm
	400SMTSFT0308	Penumbra Smart Coil Soft 3 mm x 8 cm
	400SMTSFT0310	Penumbra Smart Coil Soft 3 mm x 10 cm
	400SMTSFT3H04	Penumbra Smart Coil Soft 3.5 mm x 4 cm
	400SMTSFT3H06	Penumbra Smart Coil Soft 3.5 mm x 6 cm
	400SMTSFT3H08	Penumbra Smart Coil Soft 3.5 mm x 8 cm
	400SMTSFT3H10	Penumbra Smart Coil Soft 3.5 mm x 10 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 17 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	400SMTSFT0406	Penumbra Smart Coil Soft 4 mm x 6 cm
	400SMTSFT0408	Penumbra Smart Coil Soft 4 mm x 8 cm
	400SMTSFT0410	Penumbra Smart Coil Soft 4 mm x 10 cm
	400SMTSFT0412	Penumbra Smart Coil Soft 4 mm x 12 cm
	400SMTSFT0415	Penumbra Smart Coil Soft 4 mm x 15 cm
	400SMTSFT0420	Penumbra Smart Coil Soft 4 mm x 20 cm
	400SMTSFT4H06	Penumbra Smart Coil Soft 4.5 mm x 6 cm
	400SMTSFT4H08	Penumbra Smart Coil Soft 4.5 mm x 8 cm
	400SMTSFT4H10	Penumbra Smart Coil Soft 4.5 mm x 10 cm
Donumbra Smart Cail System	400SMTSFT4H12	Penumbra Smart Coil Soft 4.5 mm x 12 cm
Penumbra Smart Coil System	400SMTSFT4H15	Penumbra Smart Coil Soft 4.5 mm x 15 cm
	400SMTSFT4H20	Penumbra Smart Coil Soft 4.5 mm x 20 cm
	400SMTSFT0506	Penumbra Smart Coil Soft 5 mm x 6 cm
	400SMTSFT0508	Penumbra Smart Coil Soft 5 mm x 8 cm
	400SMTSFT0510	Penumbra Smart Coil Soft 5 mm x 10 cm
	400SMTSFT0515	Penumbra Smart Coil Soft 5 mm x 15 cm
	400SMTSFT0520	Penumbra Smart Coil Soft 5 mm x 20 cm
	400SMTSFT0608	Penumbra Smart Coil Soft 6 mm x 8 cm
	400SMTSFT0610	Penumbra Smart Coil Soft 6 mm x 10 cm
	400SMTSFT0615	Penumbra Smart Coil Soft 6 mm x 15 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 18 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	400SMTSFT0620	Penumbra Smart Coil Soft 6 mm x 20 cm
	400SMTSFT0710	Penumbra Smart Coil Soft 7 mm x 10 cm
	400SMTSFT0715	Penumbra Smart Coil Soft 7 mm x 15 cm
	400SMTSFT0720	Penumbra Smart Coil Soft 7 mm x 20 cm
	400SMTSFT0730	Penumbra Smart Coil Soft 7 mm x 30 cm
	400SMTSFT0815	Penumbra Smart Coil Soft 8 mm x 15 cm
	400SMTSFT0820	Penumbra Smart Coil Soft 8 mm x 20 cm
	400SMTSFT0830	Penumbra Smart Coil Soft 8 mm x 30 cm
	400SMTSFT0915	Penumbra Smart Coil Soft 9 mm x 15 cm
Ponumbra Smart Coil System	400SMTSFT0920	Penumbra Smart Coil Soft 9 mm x 20 cm
Penumbra Smart Coil System	400SMTSFT0930	Penumbra Smart Coil Soft 9 mm x 30 cm
	400SMTSFT1020	Penumbra Smart Coil Soft 10 mm x 20 cm
	400SMTSFT1030	Penumbra Smart Coil Soft 10 mm x 30 cm
	400SMTSFT1045	Penumbra Smart Coil Soft 10 mm x 45 cm
	400SMTSFT1130	Penumbra Smart Coil Soft 11 mm x 30 cm
	400SMTSFT1145	Penumbra Smart Coil Soft 11 mm x 45 cm
	400SMTSFT1230	Penumbra Smart Coil Soft 12 mm x 30 cm
	400SMTSFT1245	Penumbra Smart Coil Soft 12 mm x 45 cm
	400SMTSFT1330	Penumbra Smart Coil Soft 13 mm x 30 cm
	400SMTSFT1345	Penumbra Smart Coil Soft 13 mm x 45 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 19 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTSFT1430	Penumbra Smart Coil Soft 14 mm x 30 cm
	400SMTSFT1445	Penumbra Smart Coil Soft 14 mm x 45 cm
	400SMTXSFT0101	Penumbra Smart Coil Extra Soft 1 mm x 1 cm
	400SMTXSFT011H	Penumbra Smart Coil Extra Soft 1 mm x 1.5 cm
	400SMTXSFT0102	Penumbra Smart Coil Extra Soft 1 mm x 2 cm
	400SMTXSFT0103	Penumbra Smart Coil Extra Soft 1 mm x 3 cm
	400SMTXSFT0104	Penumbra Smart Coil Extra Soft 1 mm x 4 cm
	400SMTXSFT0105	Penumbra Smart Coil Extra Soft 1 mm x 5 cm
	400SMTXSFT1H01	Penumbra Smart Coil Extra Soft 1.5 mm x 1 cm
Donumbra Smart Coil System	400SMTXSFT1H1H	Penumbra Smart Coil Extra Soft 1.5 mm x 1.5 cm
Penumbra Smart Coil System	400SMTXSFT1H02	Penumbra Smart Coil Extra Soft 1.5 mm x 2 cm
	400SMTXSFT1H03	Penumbra Smart Coil Extra Soft 1.5 mm x 3 cm
	400SMTXSFT1H04	Penumbra Smart Coil Extra Soft 1.5 mm x 4 cm
	400SMTXSFT1H05	Penumbra Smart Coil Extra Soft 1.5 mm x 5 cm
	400SMTXSFT1H06	Penumbra Smart Coil Extra Soft 1.5 mm x 6 cm
	400SMTXSFT0201	Penumbra Smart Coil Extra Soft 2 mm x 1 cm
	400SMTXSFT0202	Penumbra Smart Coil Extra Soft 2 mm x 2 cm
	400SMTXSFT0203	Penumbra Smart Coil Extra Soft 2 mm x 3 cm
	400SMTXSFT0204	Penumbra Smart Coil Extra Soft 2 mm x 4 cm
	400SMTXSFT0205	Penumbra Smart Coil Extra Soft 2 mm x 5 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 20 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTXSFT0206	Penumbra Smart Coil Extra Soft 2 mm x 6 cm
	400SMTXSFT0207	Penumbra Smart Coil Extra Soft 2 mm x 7 cm
	400SMTXSFT0208	Penumbra Smart Coil Extra Soft 2 mm x 8 cm
	400SMTXSFT0209	Penumbra Smart Coil Extra Soft 2 mm x 9 cm
	400SMTXSFT0210	Penumbra Smart Coil Extra Soft 2 mm x 10 cm
	400SMTXSFT2H02	Penumbra Smart Coil Extra Soft 2.5 mm x 2 cm
	400SMTXSFT2H03	Penumbra Smart Coil Extra Soft 2.5 mm x 3 cm
	400SMTXSFT2H04	Penumbra Smart Coil Extra Soft 2.5 mm x 4 cm
	400SMTXSFT2H06	Penumbra Smart Coil Extra Soft 2.5 mm x 6 cm
Danumbra Smart Cail System	400SMTXSFT2H07	Penumbra Smart Coil Extra Soft 2.5 mm x 7 cm
Penumbra Smart Coil System	400SMTXSFT2H08	Penumbra Smart Coil Extra Soft 2.5 mm x 8 cm
	400SMTXSFT2H09	Penumbra Smart Coil Extra Soft 2.5 mm x 9 cm
	400SMTXSFT2H10	Penumbra Smart Coil Extra Soft 2.5 mm x 10 cm
	400SMTXSFT0303	Penumbra Smart Coil Extra Soft 3 mm x 3 cm
	400SMTXSFT0304	Penumbra Smart Coil Extra Soft 3 mm x 4 cm
	400SMTXSFT0306	Penumbra Smart Coil Extra Soft 3 mm x 6 cm
	400SMTXSFT0308	Penumbra Smart Coil Extra Soft 3 mm x 8 cm
	400SMTXSFT0310	Penumbra Smart Coil Extra Soft 3 mm x 10 cm
	400SMTXSFT3H04	Penumbra Smart Coil Extra Soft 3.5 mm x 4 cm
	400SMTXSFT3H06	Penumbra Smart Coil Extra Soft 3.5 mm x 6 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 21 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	400SMTXSFT3H08	Penumbra Smart Coil Extra Soft 3.5 mm x 8 cm
	400SMTXSFT3H10	Penumbra Smart Coil Extra Soft 3.5 mm x 10 cm
	400SMTXSFT3H12	Penumbra Smart Coil Extra Soft 3.5 mm x 12 cm
	400SMTXSFT3H15	Penumbra Smart Coil Extra Soft 3.5 mm x 15 cm
	400SMTXSFT0404	Penumbra Smart Coil Extra Soft 4 mm x 4 cm
	400SMTXSFT0406	Penumbra Smart Coil Extra Soft 4 mm x 6 cm
	400SMTXSFT0408	Penumbra Smart Coil Extra Soft 4 mm x 8 cm
	400SMTXSFT0410	Penumbra Smart Coil Extra Soft 4 mm x 10 cm
	400SMTXSFT0412	Penumbra Smart Coil Extra Soft 4 mm x 12 cm
Ponumbra Smart Coil System	400SMTXSFT0415	Penumbra Smart Coil Extra Soft 4 mm x 15 cm
Penumbra Smart Coil System	400SMTXSFT4H06	Penumbra Smart Coil Extra Soft 4.5 mm x 6 cm
	400SMTXSFT4H08	Penumbra Smart Coil Extra Soft 4.5 mm x 8 cm
	400SMTXSFT4H10	Penumbra Smart Coil Extra Soft 4.5 mm x 10 cm
	400SMTXSFT4H12	Penumbra Smart Coil Extra Soft 4.5 mm x 12 cm
	400SMTXSFT4H15	Penumbra Smart Coil Extra Soft 4.5 mm x 15 cm
	400SMTXSFT0510	Penumbra Smart Coil Extra Soft 5 mm x 10 cm
	400SMTXSFT0515	Penumbra Smart Coil Extra Soft 5 mm x 15 cm
	400SMTXSFT0610	Penumbra Smart Coil Extra Soft 6 mm x 10 cm
	400SMTXSFT0615	Penumbra Smart Coil Extra Soft 6 mm x 15 cm
	400SMTHXSFT0101	Penumbra Smart Coil WAVE Extra Soft 1 mm x 1 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 22 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTHXSFT011H	Penumbra Smart Coil WAVE Extra Soft 1 mm x 1.5 cm
	400SMTHXSFT0102	Penumbra Smart Coil WAVE Extra Soft 1 mm x 2 cm
	400SMTHXSFT0103	Penumbra Smart Coil WAVE Extra Soft 1 mm x 3 cm
	400SMTHXSFT0104	Penumbra Smart Coil WAVE Extra Soft 1 mm x 4 cm
	400SMTHXSFT0105	Penumbra Smart Coil WAVE Extra Soft 1 mm x 5 cm
	400SMTHXSFT1H01	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 1 cm
	400SMTHXSFT1H1H	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 1.5 cm
	400SMTHXSFT1H02	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 2 cm
	400SMTHXSFT1H03	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 3 cm
Donumbra Smart Coil Syctom	400SMTHXSFT1H04	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 4 cm
Penumbra Smart Coil System	400SMTHXSFT1H05	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 5 cm
	400SMTHXSFT1H06	Penumbra Smart Coil WAVE Extra Soft 1.5 mm x 6 cm
	400SMTHXSFT0201	Penumbra Smart Coil WAVE Extra Soft 2 mm x 1 cm
	400SMTHXSFT0202	Penumbra Smart Coil WAVE Extra Soft 2 mm x 2 cm
	400SMTHXSFT0203	Penumbra Smart Coil WAVE Extra Soft 2 mm x 3 cm
	400SMTHXSFT0204	Penumbra Smart Coil WAVE Extra Soft 2 mm x 4 cm
	400SMTHXSFT0205	Penumbra Smart Coil WAVE Extra Soft 2 mm x 5 cm
	400SMTHXSFT0206	Penumbra Smart Coil WAVE Extra Soft 2 mm x 6 cm
	400SMTHXSFT0207	Penumbra Smart Coil WAVE Extra Soft 2 mm x 7 cm
	400SMTHXSFT0208	Penumbra Smart Coil WAVE Extra Soft 2 mm x 8 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 23 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTHXSFT0209	Penumbra Smart Coil WAVE Extra Soft 2 mm x 9 cm
	400SMTHXSFT0210	Penumbra Smart Coil WAVE Extra Soft 2 mm x 10 cm
	400SMTHXSFT2H02	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 2 cm
	400SMTHXSFT2H03	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 3 cm
	400SMTHXSFT2H04	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 4 cm
	400SMTHXSFT2H06	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 6 cm
	400SMTHXSFT2H07	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 7 cm
	400SMTHXSFT2H08	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 8 cm
	400SMTHXSFT2H09	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 9 cm
Donumbra Smart Coil System	400SMTHXSFT2H10	Penumbra Smart Coil WAVE Extra Soft 2.5 mm x 10 cm
Penumbra Smart Coil System	400SMTHXSFT0303	Penumbra Smart Coil WAVE Extra Soft 3 mm x 3 cm
	400SMTHXSFT0304	Penumbra Smart Coil WAVE Extra Soft 3 mm x 4 cm
	400SMTHXSFT0306	Penumbra Smart Coil WAVE Extra Soft 3 mm x 6 cm
	400SMTHXSFT0308	Penumbra Smart Coil WAVE Extra Soft 3 mm x 8 cm
	400SMTHXSFT0310	Penumbra Smart Coil WAVE Extra Soft 3 mm x 10 cm
	400SMTHXSFT3H04	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 4 cm
	400SMTHXSFT3H06	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 6 cm
	400SMTHXSFT3H08	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 8 cm
	400SMTHXSFT3H10	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 10 cm
	400SMTHXSFT3H12	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 12 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 24 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	400SMTHXSFT3H15	Penumbra Smart Coil WAVE Extra Soft 3.5 mm x 15 cm
	400SMTHXSFT0404	Penumbra Smart Coil WAVE Extra Soft 4 mm x 4 cm
	400SMTHXSFT0406	Penumbra Smart Coil WAVE Extra Soft 4 mm x 6 cm
	400SMTHXSFT0408	Penumbra Smart Coil WAVE Extra Soft 4 mm x 8 cm
	400SMTHXSFT0410	Penumbra Smart Coil WAVE Extra Soft 4 mm x 10 cm
	400SMTHXSFT0412	Penumbra Smart Coil WAVE Extra Soft 4 mm x 12 cm
	400SMTHXSFT0415	Penumbra Smart Coil WAVE Extra Soft 4 mm x 15 cm
Donumbus Cosset Coil Customs	400SMTHXSFT4H06	Penumbra Smart Coil WAVE Extra Soft 4.5 mm x 6 cm
Penumbra Smart Coil System	400SMTHXSFT4H08	Penumbra Smart Coil WAVE Extra Soft 4.5 mm x 8 cm
	400SMTHXSFT4H10	Penumbra Smart Coil WAVE Extra Soft 4.5 mm x 10 cm
	400SMTHXSFT4H12	Penumbra Smart Coil WAVE Extra Soft 4.5 mm x 12 cm
	400SMTHXSFT4H15	Penumbra Smart Coil WAVE Extra Soft 4.5 mm x 15 cm
	400SMTHXSFT0510	Penumbra Smart Coil WAVE Extra Soft 5 mm x 10 cm
	400SMTHXSFT0515	Penumbra Smart Coil WAVE Extra Soft 5 mm x 15 cm
	400SMTHXSFT0610	Penumbra Smart Coil WAVE Extra Soft 6 mm x 10 cm
	400SMTHXSFT0615	Penumbra Smart Coil WAVE Extra Soft 6 mm x 15 cm
	RBYLP0101	Ruby Coil LP 1 mm x 1 cm
Penumbra LP Coil System	RBYLP0102	Ruby Coil LP 1 mm x 2 cm
	RBYLP0103	Ruby Coil LP 1 mm x 3 cm
	RBYLP0104	Ruby Coil LP 1 mm x 4 cm

First Issue Date: **2023-03-29** 

Starting Validity Date: 2025-05-30

Current Issue Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 25 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP0105	Ruby Coil LP 1 mm x 5 cm
	RBYLP1H01	Ruby Coil LP, 1.5 mm x 1 cm
	RBYLP1H02	Ruby Coil LP, 1.5 mm x 2 cm
	RBYLP1H03	Ruby Coil LP, 1.5 mm x 3 cm
	RBYLP1H04	Ruby Coil LP, 1.5 mm x 4 cm
	RBYLP1H05	Ruby Coil LP, 1.5 mm x 5 cm
	RBYLP0201	Ruby Coil LP 2 mm x 1 cm
	RBYLP0202	Ruby Coil LP 2 mm x 2 cm
	RBYLP0203	Ruby Coil LP 2 mm x 3 cm
Penumbra LP Coil System	RBYLP0204	Ruby Coil LP 2 mm x 4 cm
renumbra Er Con System	RBYLP0206	Ruby Coil LP 2 mm x 6 cm
	RBYLP0208	Ruby Coil LP 2 mm x 8 cm
	RBYLP0210	Ruby Coil LP 2 mm x 10 cm
	RBYLP0304	Ruby Coil LP 3 mm x 4 cm
	RBYLP0305	Ruby Coil LP 3 mm x 5 cm
	RBYLP0306	Ruby Coil LP 3 mm x 6 cm
	RBYLP0308	Ruby Coil LP 3 mm x 8 cm
	RBYLP0310	Ruby Coil LP 3 mm x 10 cm
	RBYLP0312	Ruby Coil LP 3 mm x 12 cm
	RBYLP0315	Ruby Coil LP 3 mm x 15 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 26 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP0320	Ruby Coil LP 3 mm x 20 cm
	RBYLP0404	Ruby Coil LP 4 mm x 4 cm
	RBYLP0406	Ruby Coil LP 4 mm x 6 cm
	RBYLP0408	Ruby Coil LP 4 mm x 8 cm
	RBYLP0410	Ruby Coil LP 4 mm x 10 cm
	RBYLP0412	Ruby Coil LP 4 mm x 12 cm
	RBYLP0415	Ruby Coil LP 4 mm x 15 cm
	RBYLP0420	Ruby Coil LP 4 mm x 20 cm
	RBYLP0425	Ruby Coil LP 4 mm x 25 cm
Penumbra LP Coil System	RBYLP0430	Ruby Coil LP 4 mm x 30 cm
renumbra LP Con System	RBYLP0510	Ruby Coil LP 5 mm x 10 cm
	RBYLP0512	Ruby Coil LP 5 mm x 12 cm
	RBYLP0515	Ruby Coil LP 5 mm x 15 cm
	RBYLP0520	Ruby Coil LP 5 mm x 20 cm
	RBYLP0525	Ruby Coil LP 5 mm x 25 cm
	RBYLP0530	Ruby Coil LP 5 mm x 30 cm
	RBYLP0535	Ruby Coil LP 5 mm x 35 cm
	RBYLP0540	Ruby Coil LP 5 mm x 40 cm
	RBYLP0610	Ruby Coil LP 6 mm x 10 cm
	RBYLP0615	Ruby Coil LP 6 mm x 15 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 27 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP0620	Ruby Coil LP 6 mm x 20 cm
	RBYLP0625	Ruby Coil LP 6 mm x 25 cm
	RBYLP0630	Ruby Coil LP 6 mm x 30 cm
	RBYLP0635	Ruby Coil LP 6 mm x 35 cm
	RBYLP0640	Ruby Coil LP 6 mm x 40 cm
	RBYLP0645	Ruby Coil LP 6 mm x 45 cm
	RBYLP0650	Ruby Coil LP 6 mm x 50 cm
	RBYLP0660	Ruby Coil LP 6 mm x 60 cm
	RBYLP0720	Ruby Coil LP 7 mm x 20 cm
Donumbra I D Coil Custom	RBYLP0725	Ruby Coil LP 7 mm x 25 cm
Penumbra LP Coil System	RBYLP0730	Ruby Coil LP 7 mm x 30 cm
	RBYLP0735	Ruby Coil LP 7 mm x 35 cm
	RBYLP0740	Ruby Coil LP 7 mm x 40 cm
	RBYLP0745	Ruby Coil LP 7 mm x 45 cm
	RBYLP0750	Ruby Coil LP 7 mm x 50 cm
	RBYLP0760	Ruby Coil LP 7 mm x 60 cm
	RBYLP0820	Ruby Coil LP 8 mm x 20 cm
	RBYLP0825	Ruby Coil LP 8 mm x 25 cm
	RBYLP0830	Ruby Coil LP 8 mm x 30 cm
	RBYLP0835	Ruby Coil LP 8 mm x 35 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 28 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP0840	Ruby Coil LP 8 mm x 40 cm
	RBYLP0845	Ruby Coil LP 8 mm x 45 cm
	RBYLP0850	Ruby Coil LP 8 mm x 50 cm
	RBYLP0860	Ruby Coil LP 8 mm x 60 cm
	RBYLP0930	Ruby Coil LP, 9 mm x 30 cm
	RBYLP0960	Ruby Coil LP, 9 mm x 60 cm
	RBYLP0965	Ruby Coil LP, 9 mm x 65 cm
	RBYLP0970	Ruby Coil LP, 9 mm x 70 cm
	RBYLP1030	Ruby Coil LP, 10 mm x 30 cm
Penumbra LP Coil System	RBYLP1060	Ruby Coil LP, 10 mm x 60 cm
renumbra LP Con System	RBYLP1065	Ruby Coil LP, 10 mm x 65 cm
	RBYLP1070	Ruby Coil LP, 10 mm x 70 cm
	RBYPCLP01	Packing Coil LP 1 cm
	RBYPCLP02	Packing Coil LP 2 cm
	RBYPCLP03	Packing Coil LP 3 cm
	RBYPCLP04	Packing Coil LP 4 cm
	RBYPCLP05	Packing Coil LP 5 cm
	RBYPCLP06	Packing Coil LP 6 cm
	RBYPCLP07	Packing Coil LP 7 cm
	RBYPCLP08	Packing Coil LP 8 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 29 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	RBYPCLP09	Packing Coil LP 9 cm
	RBYPCLP10	Packing Coil LP 10 cm
	RBYPCLP12	Packing Coil LP 12 cm
	RBYPCLP15	Packing Coil LP 15 cm
	RBYPCLP20	Packing Coil LP 20 cm
	RBYPCLP25	Packing Coil LP 25 cm
	RBYPCLP30	Packing Coil LP 30 cm
	RBYPCLP35	Packing Coil LP 35 cm
	RBYPCLP40	Packing Coil LP 40 cm
Penumbra LP Coil System	RBYPCLP45	Packing Coil LP 45 cm
renumbra LP Con System	RBYPCLP50	Packing Coil LP 50 cm
	RBYPCLP55	Packing Coil LP 55 cm
	RBYPCLP60	Packing Coil LP 60 cm
	RBYLP2C0408	PTC Standard 4 mm x 8 cm
	RBYLP2C0410	PTC Standard 4 mm x 10 cm
	RBYLP2C0412	PTC Standard 4 mm x 12 cm
	RBYLP2C0415	PTC Standard 4 mm x 15 cm
	RBYLP2C0420	PTC Standard 4 mm x 20 cm
	RBYLP2C0510	PTC Standard 5 mm x 10 cm
	RBYLP2C0512	PTC Standard 5 mm x 12 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 30 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP2C0515	PTC Standard 5 mm x 15 cm
	RBYLP2C0520	PTC Standard 5 mm x 20 cm
	RBYLP2C0525	PTC Standard 5 mm x 25 cm
	RBYLP2C0530	PTC Standard 5 mm x 30 cm
	RBYLP2C0612	PTC Standard 6 mm x 12 cm
	RBYLP2C0615	PTC Standard 6 mm x 15 cm
	RBYLP2C0620	PTC Standard 6 mm x 20 cm
	RBYLP2C0625	PTC Standard 6 mm x 25 cm
	RBYLP2C0630	PTC Standard 6 mm x 30 cm
Donumbra I D Coil System	RBYLP2C0640	PTC Standard 6 mm x 40 cm
Penumbra LP Coil System	RBYLP2C0715	PTC Standard 7 mm x 15 cm
	RBYLP2C0720	PTC Standard 7 mm x 20 cm
	RBYLP2C0725	PTC Standard 7 mm x 25 cm
	RBYLP2C0730	PTC Standard 7 mm x 30 cm
	RBYLP2C0740	PTC Standard 7 mm x 40 cm
	RBYLP2C0820	PTC Standard 8 mm x 20 cm
	RBYLP2C0830	PTC Standard 8 mm x 30 cm
	RBYLP2C0840	PTC Standard 8 mm x 40 cm
	RBYLP2C0920	PTC Standard 9 mm x 20 cm
	RBYLP2C0930	PTC Standard 9 mm x 30 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 31 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

NB Contact: BSI Group The Netherlands B.V., Say Building, John M. Keynesplein 9, 1066 EP, Amsterdam, Netherlands. Tel: + 31 (0) 20 346 07 80 Corporate Contact: BSI Group Assurance Limited, registered in England under number 05435540 at 389 Chiswick High Road, London, W4 4AL, UK. A Member of the BSI Group of Companies.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP2C0940	PTC Standard 9 mm x 40 cm
	RBYLP2C1030	PTC Standard 10 mm x 30 cm
	RBYLP2C1045	PTC Standard 10 mm x 45 cm
	RBYLP2C1060	PTC Standard 10 mm x 60 cm
	RBYLP2C1070	PTC Standard 10 mm x 70 cm
	RBYLP4C0203	PTC Soft 2 mm x 3 cm
	RBYLP4C0204	PTC Soft 2 mm x 4 cm
	RBYLP4C0303	PTC Soft 3 mm x 3 cm
	RBYLP4C0304	PTC Soft 3 mm x 4 cm
Donumbra I D Coil System	RBYLP4C0306	PTC Soft 3 mm x 6 cm
Penumbra LP Coil System	RBYLP4C0308	PTC Soft 3 mm x 8 cm
	RBYLP4C0310	PTC Soft 3 mm x 10 cm
	RBYLP4C0312	PTC Soft 3 mm x 12 cm
	RBYLP4C3H08	PTC Soft 3.5 mm x 8 cm
	RBYLP4C3H10	PTC Soft 3.5 mm x 10 cm
	RBYLP4C3H12	PTC Soft 3.5 mm x 12 cm
	RBYLP4C0406	PTC Soft 4 mm x 6 cm
	RBYLP4C0408	PTC Soft 4 mm x 8 cm
	RBYLP4C0410	PTC Soft 4 mm x 10 cm
	RBYLP4C0412	PTC Soft 4 mm x 12 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 32 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP4C0415	PTC Soft 4 mm x 15 cm
	RBYLP4C0420	PTC Soft 4 mm x 20 cm
	RBYLP4C4H10	PTC Soft 4.5 mm x 10 cm
	RBYLP4C0506	PTC Soft 5 mm x 6 cm
	RBYLP4C0510	PTC Soft 5 mm x 10 cm
	RBYLP4C0512	PTC Soft 5 mm x 12 cm
	RBYLP4C0515	PTC Soft 5 mm x 15 cm
	RBYLP4C0520	PTC Soft 5 mm x 20 cm
	RBYLP4C0525	PTC Soft 5 mm x 25 cm
Penumbra LP Coil System	RBYLP4C0530	PTC Soft 5 mm x 30 cm
renumbra LP Con System	RBYLP4C0610	PTC Soft 6 mm x 10 cm
	RBYLP4C0612	PTC Soft 6 mm x 12 cm
	RBYLP4C0615	PTC Soft 6 mm x 15 cm
	RBYLP4C0620	PTC Soft 6 mm x 20 cm
	RBYLP4C0625	PTC Soft 6 mm x 25 cm
	RBYLP4C0630	PTC Soft 6 mm x 30 cm
	RBYLP4C0640	PTC Soft 6 mm x 40 cm
	RBYLP4C0715	PTC Soft 7 mm x 15 cm
	RBYLP4C0720	PTC Soft 7 mm x 20 cm
	RBYLP4C0730	PTC Soft 7 mm x 30 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 33 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	RBYLP4C0740	PTC Soft 7 mm x 40 cm
	RBYLP4C0820	PTC Soft 8 mm x 20 cm
	RBYLP4C0830	PTC Soft 8 mm x 30 cm
	RBYLP4C0840	PTC Soft 8 mm x 40 cm
	RBYLP4C0920	PTC Soft 9 mm x 20 cm
	RBYLP4C0930	PTC Soft 9 mm x 30 cm
	RBYLP4C0940	PTC Soft 9 mm x 40 cm
	RBYLP4C1030	PTC Soft 10 mm x 30 cm
	RBYLP6C0101	PTC Extra Soft 1 mm x 1 cm
Donumbra LD Coil System	RBYLP6C011H	PTC Extra Soft 1 mm x 1.5 cm
Penumbra LP Coil System	RBYLP6C0102	PTC Extra Soft 1 mm x 2 cm
	RBYLP6C0103	PTC Extra Soft 1 mm x 3 cm
	RBYLP6C1H02	PTC Extra Soft 1.5 mm x 2 cm
	RBYLP6C1H03	PTC Extra Soft 1.5 mm x 3 cm
	RBYLP6C1H04	PTC Extra Soft 1.5 mm x 4 cm
	RBYLP6C0202	PTC Extra Soft 2 mm x 2 cm
	RBYLP6C0203	PTC Extra Soft 2 mm x 3 cm
	RBYLP6C0204	PTC Extra Soft 2 mm x 4 cm
	RBYLP6C0206	PTC Extra Soft 2 mm x 6 cm
	RBYLP6C0208	PTC Extra Soft 2 mm x 8 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit.™

Page 34 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	RBYLP6C2H03	PTC Extra Soft 2.5 mm x 3 cm
	RBYLP6C2H04	PTC Extra Soft 2.5 mm x 4 cm
	RBYLP6C2H06	PTC Extra Soft 2.5 mm x 6 cm
	RBYLP6C2H08	PTC Extra Soft 2.5 mm x 8 cm
	RBYLP6C0304	PTC Extra Soft 3 mm x 4 cm
	RBYLP6C0306	PTC Extra Soft 3 mm x 6 cm
	RBYLP6C0308	PTC Extra Soft 3 mm x 8 cm
	RBYLP6C0310	PTC Extra Soft 3 mm x 10 cm
	RBYLP6C0312	PTC Extra Soft 3 mm x 12 cm
Penumbra LP Coil System	RBYLP6C3H06	PTC Extra Soft 3.5 mm x 6 cm
rendifibia Er Coli System	RBYLP6C3H08	PTC Extra Soft 3.5 mm x 8 cm
	RBYLP6C3H10	PTC Extra Soft 3.5 mm x 10 cm
	RBYLP6C3H12	PTC Extra Soft 3.5 mm x 12 cm
	RBYLP6C0406	PTC Extra Soft 4 mm x 6 cm
	RBYLP6C0408	PTC Extra Soft 4 mm x 8 cm
	RBYLP6C0410	PTC Extra Soft 4 mm x 10 cm
	RBYLP6C0412	PTC Extra Soft 4 mm x 12 cm
	RBYLP6C0415	PTC Extra Soft 4 mm x 15 cm
	RBYLP6C0420	PTC Extra Soft 4 mm x 20 cm
	RBYLP6C4H08	PTC Extra Soft 4.5 mm x 8 cm

First Issue Date: **2023-03-29** 

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Starting Validity Date: 2025-05-30

Page 35 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

Device Name	Model	Additional Information
	RBYLP6C4H10	PTC Extra Soft 4.5 mm x 10 cm
	RBYLP6C4H12	PTC Extra Soft 4.5 mm x 12 cm
	RBYLP6C4H15	PTC Extra Soft 4.5 mm x 15 cm
	RBYLP6C4H20	PTC Extra Soft 4.5 mm x 20 cm
	RBYLP6C0508	PTC Extra Soft 5 mm x 8 cm
	RBYLP6C0510	PTC Extra Soft 5 mm x 10 cm
	RBYLP6C0512	PTC Extra Soft 5 mm x 12 cm
	RBYLP6C0515	PTC Extra Soft 5 mm x 15 cm
	RBYLP6C0520	PTC Extra Soft 5 mm x 20 cm
Ponumbra LP Coil System	RBYLP6C0610	PTC Extra Soft 6 mm x 10 cm
Penumbra LP Coil System	RBYLP6C0615	PTC Extra Soft 6 mm x 15 cm
	RBYLP6C0620	PTC Extra Soft 6 mm x 20 cm
	RBYLP6U0101	Helical Extra Soft 1 mm x 1 cm
	RBYLP6U0102	Helical Extra Soft 1 mm x 2 cm
	RBYLP6U0103	Helical Extra Soft 1 mm x 3 cm
	RBYLP6U1H01	Helical Extra Soft 1.5 mm x 1 cm
	RBYLP6U1H02	Helical Extra Soft 1.5 mm x 2 cm
	RBYLP6U1H03	Helical Extra Soft 1.5 mm x 3 cm
	RBYLP6U0202	Helical Extra Soft 2 mm x 2 cm
	RBYLP6U0203	Helical Extra Soft 2 mm x 3 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 36 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP6U0204	Helical Extra Soft 2 mm x 4 cm
	RBYLP6U0206	Helical Extra Soft 2 mm x 6 cm
	RBYLP6U0208	Helical Extra Soft 2 mm x 8 cm
	RBYLP6U2H03	Helical Extra Soft 2.5 mm x 3 cm
	RBYLP6U2H04	Helical Extra Soft 2.5 mm x 4 cm
	RBYLP6U2H06	Helical Extra Soft 2.5 mm x 6 cm
	RBYLP6U2H08	Helical Extra Soft 2.5 mm x 8 cm
	RBYLP6U0304	Helical Extra Soft 3 mm x 4 cm
	RBYLP6U0306	Helical Extra Soft 3 mm x 6 cm
Penumbra LP Coil System	RBYLP6U0308	Helical Extra Soft 3 mm x 8 cm
	RBYLP6U0310	Helical Extra Soft 3 mm x 10 cm
	RBYLP6U0312	Helical Extra Soft 3 mm x 12 cm
	RBYLP6U3H06	Helical Extra Soft 3.5 mm x 6 cm
	RBYLP6U3H08	Helical Extra Soft 3.5 mm x 8 cm
	RBYLP6U3H10	Helical Extra Soft 3.5 mm x 10 cm
	RBYLP6U3H12	Helical Extra Soft 3.5 mm x 12 cm
	RBYLP6U0406	Helical Extra Soft 4 mm x 6 cm
	RBYLP6U0408	Helical Extra Soft 4 mm x 8 cm
	RBYLP6U0410	Helical Extra Soft 4 mm x 10 cm
	RBYLP6U0412	Helical Extra Soft 4 mm x 12 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 37 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
	RBYLP6U0415	Helical Extra Soft 4 mm x 15 cm
	RBYLP6U0420	Helical Extra Soft 4 mm x 20 cm
	RBYLP6U4H08	Helical Extra Soft 4.5 mm x 8 cm
	RBYLP6U4H10	Helical Extra Soft 4.5 mm x 10 cm
	RBYLP6U4H12	Helical Extra Soft 4.5 mm x 12 cm
	RBYLP6U4H15	Helical Extra Soft 4.5 mm x 15 cm
	RBYLP6U4H20	Helical Extra Soft 4.5 mm x 20 cm
	RBYLP6U0508	Helical Extra Soft 5 mm x 8 cm
	RBYLP6U0510	Helical Extra Soft 5 mm x 10 cm
Danumbra I.D. Cail Custom	RBYLP6U0512	Helical Extra Soft 5 mm x 12 cm
Penumbra LP Coil System	RBYLP6U0515	Helical Extra Soft 5 mm x 15 cm
	RBYLP6U0520	Helical Extra Soft 5 mm x 20 cm
	RBYLP6U0610	Helical Extra Soft 6 mm x 10 cm
	RBYLP6U0615	Helical Extra Soft 6 mm x 15 cm
	RBYLP6U0620	Helical Extra Soft 6 mm x 20 cm
	RBYLPHC0203	Hybrid 2 mm x 3 cm
	RBYLPHC0204	Hybrid 2 mm x 4 cm
	RBYLPHC0304	Hybrid 3 mm x 4 cm
	RBYLPHC0306	Hybrid 3 mm x 6 cm
	RBYLPHC0308	Hybrid 3 mm x 8 cm

First Issue Date: 2023-03-29 Starting Validity Date: 2025-05-30

Current Issue Date: **2025-05-30** Expiry Date: **2028-03-28** 

...making excellence a habit."

Page 38 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information
Penumbra LP Coil System	RBYLPHC0406	Hybrid 4 mm x 6 cm
	RBYLPHC0408	Hybrid 4 mm x 8 cm
	RBYLPHC0410	Hybrid 4 mm x 10 cm
	RBYLPHC0412	Hybrid 4 mm x 12 cm
	RBYLPHC0415	Hybrid 4 mm x 15 cm
	RBYLPHC0420	Hybrid 4 mm x 20 cm
	RBYLPHC0510	Hybrid 5 mm x 10 cm
	RBYLPHC0512	Hybrid 5 mm x 12 cm
	RBYLPHC0515	Hybrid 5 mm x 15 cm
	RBYLPHC0520	Hybrid 5 mm x 20 cm
	RBYLPHC0612	Hybrid 6 mm x 12 cm
	RBYLPHC0615	Hybrid 6 mm x 15 cm
	RBYLPHC0620	Hybrid 6 mm x 20 cm
Swift Coil System	400SWPC01	swiftPAC Coil, 1cm
	400SWPC02	swiftPAC Coil, 2 cm
	400SWPC03	swiftPAC Coil, 3 cm
	400SWPC04	swiftPAC Coil, 4 cm
	400SWPC05	swiftPAC Coil, 5 cm
	400SWPC06	swiftPAC Coil, 6 cm
	400SWPC07	swiftPAC Coil, 7 cm

First Issue Date: **2023-03-29** 

Current Issue Date: 2025-05-30

Starting Validity Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 39 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

<b>Device Name</b>	Model	Additional Information	
Swift Coil System	400SWPC08	swiftPAC Coil, 8 cm	A W
	400SWPC09	swiftPAC Coil, 9 cm	1 72
	400SWPC10	swiftPAC Coil, 10 cm	
	400SWPC12	swiftPAC Coil, 12 cm	
	400SWPC15	swiftPAC Coil, 15 cm	7/4
	400SWPC20	swiftPAC Coil, 20 cm	1
	400SWPC25	swiftPAC Coil, 25 cm	
	400SWPC30	swiftPAC Coil, 30 cm	
	400SWPC35	swiftPAC Coil, 35 cm	
	400SWPC40	swiftPAC Coil, 40 cm	
	400SWPC45	swiftPAC Coil, 45 cm	
	400SWPC50	swiftPAC Coil, 50 cm	
	400SWPC55	swiftPAC Coil, 55 cm	15
	400SWPC60	swiftPAC Coil, 60 cm	

First Issue Date: **2023-03-29** 

Current Issue Date: 2025-05-30

Starting Validity Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 40 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.





Regulation (EU) 2017/745, Annex IX Chapter II

#### MDR 739883 R000

#### **Certificate History**

(References to applicable Common Specifications, Harmonized Standards complied with, and the relevant test and audit reports that support any of the below certificate changes may be requested from Certificate. Verification@bsigroup.com)

Date	Reference Number	Action
2023-03-29	3329046	Issued.
Current	30106754	Supplemented – Scope extension to add new coil configurations and size offerings to the Penumbra Embolization Coil System product family.  Amended – Correction of product description for 400PAC35. Update product labelling to include information on presence of CMR substance for the Penumbra Coil 400, Ruby Coil System and POD System.

First Issue Date: **2023-03-29** 

Current Issue Date: 2025-05-30

Starting Validity Date: 2025-05-30

Expiry Date: 2028-03-28

...making excellence a habit.™

Page 41 of 41

Validity of this certificate is conditional on the Manufacturer's quality system being maintained to the requirements of the Regulation as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

NB Contact: BSI Group The Netherlands B.V., Say Building, John M. Keynesplein 9, 1066 EP, Amsterdam, Netherlands. Tel: + 31 (0) 20 346 07 80 Corporate Contact: BSI Group Assurance Limited, registered in England under number 05435540 at 389 Chiswick High Road, London, W4 4AL, UK. A Member of the BSI Group of Companies.